

Leco Part. No.	Säntis Part. No.	Description	pcs / kg	Tarif € HT
502-642	SA05001169	Phenylalanine	0,025	117
	SA100050	aquatak®	0,050	54
	SA100100	aquatak®	0,100	100,8
502-181	SA11020008	Tungsten (VI)-Oxide, Granulate	0,060	81
156-003	SA156003	O-Ring für GDS500/GDS500A	1	6,3
604-378	SA20500500	Foreceps , 115 mm "bent"	1	33,84
	SA20503002B	Sealing device for liquid samples, large capsules	1	990
502-343 / 763-065	SA2343	Nickel boat liner for Liquid Samples, 50 x 15 x 8 mm	100	50
502-308	SA33802150	Medium Organic Soil Standard, see certificate for actual values	0,030	107,1
502-207	SA33840018	L-Cystine (approx. 29.99% C, 5.03% H, 11.66% N, 26.63% O, 26.69 % S), see certificate for actual values	0,001	44,1
	SA33840030	Fluorine Adsorber	0,015	117
501-170	SA501170	Rare earth copper oxide	0,050	81
501-621 / 502-258 / 502-295 / 502-656 / 502-995	SA501621W	Copper turnings, wire	0,200	132
502-092 / 502-896 / 502-806-250	SA502092	EDTA standard (see certificate for actual values), (approx. 41.09% C, 5.52% H, 9.58% N, 43.80% O)	0,050	57,6
502-188	SA502188	Alumina Oxide Pellets	0,200	57,6
502-196	SA502196	Powder Carbon Black , 40+ mesh	0,010	49,5
502-206, 502-293	SA502206W	Silver capsules for solids, 3.2 x 4 mm	1000	400
502-397-400	SA502397400	Large tin foil cups	400	123,75
529-042	SA529042W	Ceramic crucibles small 16cc , for TGA	5	297
529-043	SA529043W	Ceramic cover small	5	144
529-047 / 621-331	SA529047W	Ceramic crucibles large 20cc, Glazed, for TGA	5	216
529-048	SA529048W	Ceramic cover large	5	144
550-120	SA550120E	Sulfur combustion tube	1	79,38
550-122	SA550122E	Carbon combustion tube	1	82,8
575-047	SA575047D	Inconel boat "small without edge", 54 x 18 x 9 mm	1	30
575-047	SA575047R	Inconel boat "small with edge", 54 x 18 x 9 mm	1	30
575-049	SA575049D	Inconel boat "big without edge", 54 x 18 x 13.3 mm	1	32,5
575-049	SA575049R	Inconel boat "big with edge", 54 x 18 x 13.3 mm	1	32,5
601-437	SA601437E	Transparent quartz catalyst tube	1	102,6
601-397-USA	SA601438110E	Combustion tube + Shim. comb. tube , 6/PKk	1	Sur demande
601-438	SA601438E	Combustion tube	1	108
601-506	SA601506E	Combustion tube	1	144
603-710	SA603710E	Transparent quartz crucibles	24	160,2
605-875	SA605875	Transparent quartz red/ox tube, 310/22/14.5 mm	1	90
606-313	SA606313E	Ceramic inner combustion tube , 346/44 mm	1	97,2
608-089	SA608089	O-Ring	1	16,56
608-130	SA608130	Inner pyrolyses tube	1	Sur demande
609-116	SA609116E	Combustion tube FP428	1	126
609-129	SA609129E	Lance, Straight	1	43,2
616-108	SA616108	Combustion tube "U-Tube", FP528	1	446,04
616-147	SA616147	Lance assembly , (complete)	1	550,8
619-065	SA619065E	U-Shaped combustion tube, for CHN628/FP628/Truspec	1	198
621-356	SA621356	Manifold assembly		Sur demande
502-196	SA625401360	Tube Mullite Machined	0,001	1008
575-049 / 625-505-430	SA625505430	Boats combustion nickel	50	1080
619-591-683	SA70380	O-Ring, for combustion tube	1	15,48
763-065	SA711525	Nickel baskets, 1g	100	57,6
763-029	SA711526	Nickel baskets, 1.5g	100	169,2
502-186 / 502-186-200	SA76152301	Tin foil cups	100	18
502-186-1000	SA76152301B	Tin foil cups	1000	180
764-242	SA764242	Tin Pellets	0,454	302
502-227	SA76980002	Tin capsules for solids, 3.2 x 4 mm	250	51,25
	SA76980002L	Tin capsules for solids, light, 3.2 x 4 mm	250	51,25
502-206, 502-293	SA76980006	Silver capsules for solids, 3.2 x 4 mm	250	110
	SA76980202	Tin capsules for solids, 3.2 x 6 mm	250	51,25
	SA76980206	Silver capsules for solids, 3.2 x 6 mm	250	125
776-985	SA776985	Thermocouple/typ K	1	Sur demande
778-891	SA778891300E	Quartz crucible , large	1	63
778-892	SA778892300E	Quartz crucible-cover , large	1	27
780-093	SA780093300E	Quartz crucible , small	1	52,2
780-094	SA780094300E	Quartz crucible-cover, small	1	32,4
781-335 / 781-335E	SA781335E	Transparent quartz boat	1	33,66
789-095	SA789095	Reagent Stop Plastic for Large Anhydrone Tube	1	129,6
601-963	SA84991201	Tin capsules for liquids, 3.5 x 4 mm	100	33,75
601-963	SA84991202	Tin capsules for liquids, 3.5 x 4 mm	250	65
502-187	SA84992101	Tin capsules for liquids, 3.5 x 9 mm	100	40
502-187	SA84992102	Tin capsules for liquids, 3.5 x 9 mm	250	90
501-059	SA84992801	Tin capsules for liquids, 5 x 13 mm	100	48,75
501-059	SA84992801B	Tin capsules for liquids, 5 x 12 mm	100	48,75
501-059	SA84992801C	Tin capsules for liquids, 5 x 18 mm	100	52,5
502-040 / 502-040-100	SA84992901	Tin capsules for liquids, 6 x 16 mm	100	51,25
502-820 / 502-822	SA84993101	Nickel capsules for liquids, 6.7 x 14.5 mm	100	181,25
502-008 / 502-077	SA84993701	Tin Plugs	150	75
502-167	SA84994401	Tin capsules for liquids, 8 x 20 mm	100	77,5
	SA9205405	PE Tube 1m, OD 1.08mm / ID 0.38mm	1	8,1
502-190	SA99060300	Copper (II)-oxide, wire, diam. 0.5 mm	1,000	154

Leco Part. No.	Säntis Part. No.	Description	pcs / kg	Tarif € HT
502-190	SA99060301	Copper (II)-oxide, wire, diam. 0,5 mm	0,100	16,5
502-190	SA99060301B	Copper (II)-oxide, wire, diam. 0,5 mm	0,050	9,9
502-189 / 502-282 / 502-304 / 502-844 / 502-705 / 502-878	SA99060302	Reduced copper, wire, diam. 0,5mm, vial, packed in argon	0,100	33
502-304-500 / 502-844 / 502- 973	SA99060309	Reduced copper, wire, diam. 0,5mm, vial, packed in argon	0,500	202,4
501-636	SA990709	Vanadium Pentoxide	0,001	13,68
502-184	SA990747	Benzoic acid (see certificate for actual values), (approx. 68.85% C, 4.95% H, 26.20% O)	0,001	50,76
502-184	SA990747B	Benzoic acid (see certificate for actual values), (approx. 68.85% C, 4.95% H, 26.20% O)	0,002	99,9
502-208	SA990750	Sulfanilamide standard (see certificate for actual values), (approx. 41.85% C, 4.68% H, 16.26% N, 18.58% O, 18.62% S)	0,001	33,84
502-208	SA990750B	Sulfanilamide standard (see certificate for actual values), (approx. 41.85% C, 4.68% H, 16.26% N, 18.58% O, 18.62% S)	0,002	66,06
502-208	SA990750C	Sulfanilamide standard (see certificate for actual values), (approx. 41.85% C, 4.68% H, 16.26% N, 18.58% O, 18.62% S)	0,025	306
502-226	SA990789	Silver Vanadate, Crystals	0,015	68,4
502-225	SA990797	Silver tungstate on Magnesium oxide	0,050	331,2
	SA990836	Absorbitz N pads, 3.2 & 3.5 mm, suitable for CHN analysis	100	Sur demande
	SA990844	Absorbitz O pads, 10 mm, suitable for OS analysis	100	Sur demande
625-602-172 / 625-602-470	SA990848	C-Flex Tubing Repl Kit	1	154,8
502-283	SA990850	Absorbent Discs 3.5 mm	100	50,4
502-385 / 502-682 / 502-681	SA990862	Coal standard, (approx. 2% S), see certificate for actual values	0,050	369
502-309	SA990889	Soil standard (Peaty), see certificate for actual values	0,030	87,48
502-205	SA999946	Caffeine standard (see certificate for actual values), (approx. 49.48% C, 5.19% H, 28.85% N, 16.48% O)	0,001	33,84
502-203	SAEB2031	Stearic acid standard, see certificate for actual values	0,001	62,28
502-204	SAEB2034	Dinitrobenzoic acid standard	0,001	63
502-654	SAEB2049	BBOT standard (see certificate for actual values), 25-Bis(5-tert-butyl-2-benzo-oxazol-2-yl)thiophene, 72.56%C, 6.11%H, 6.49%N, 7.40%S	0,025	230,4
501-439	SAAR000	Parafin Oil, 118 mL/Btl C, H, N BTU	0,114	243,36
170-001	SAAR0001	Spring, Lower Electrode	1	9,9
204-001	SAAR001	Thermoregulator TC30, TN14n RO16	1	229,5
156-002	SAAR002	O-Ring, Upper electrode	1	12,42
519-044	SAAR004	Hydrocarbon Sulfur Tube	1	72,54
550-047	SAAR0047	RF Choke , for 521/523	1	59,94
156-004	SAAR005	Teflon Backup Seal	1	9,54
550-053	SAAR0053	Power Switch , for 521/523	1	42,3
566-008	SAAR006	Induction Coil	1	127,98
503-007	SAAR007	Detachable Float Valve	1	84,06
501-008 / 502-294	SAAR008	Alphacel II, Tungsten/Tin, -20/+40 mesh	2,200	444,24
502-297	SAAR008B	Alphacel II, Tungsten/Tin, -20/+40 mesh, 30lb	13,600	Sur demande
519-009	SAAR009	Pedestal	1	14,58
501-010	SAAR010	Dust Trap Complete	1	111,6
501-011	SAAR011	Dust Trap Body Insert	1	56,16
501-012	SAAR011B	Dust Trap Reservoir	1	50,58
507-012	SAAR012	Reducer	1	18,36
501-013	SAAR013	Filter Cloths	1	29,16
625-401-302	SAAR01302	O-Ring	1	3,6
760-145	SAAR0145	Powder Funnel , for Graphite Crucibles	1	37,8
764-015	SAAR015	Bulb for 532-500, 28VDC	1	9
518-016	SAAR016	Burette	1	833,76
626-001-691	SAAR01691	Ceramic Lance, No Autoloader	1	106,2
518-030	SAAR017	Vessel	1	1779,12
626-001-871	SAAR01871	Gas Drying Tube	1	135
550-119	SAAR019	Right Angle Bend	1	36,72
501-082	SAAR022	Brush	1	11,34
625-602-297	SAAR02297	O-Ring	1	4,14
760-144	SAAR022B	Brush, 90" bend	1	13,68
762-023	SAAR023	Nut Adaptor Seal , for CS44/IR12	1	56,16
518-024	SAAR024	Light Director	1	51,48
502-042	SAAR025	Quartz crucible, CHN	1	65,7
529-026 / 529-055	SAAR026	Crucible CHN-600	50	143,82
763-266	SAAR027	Alphacel III, fine Tungsten, -20 +40 mesh	2,300	472,5
763-026	SAAR027B	Alphacel III, fine Tungsten, -20 +40 mesh, 30lb	13,607	Sur demande
781-273	SAAR028	Ceramic Crucible Tray	1	82,26
572-029	SAAR029	Float Valve Assembly	1	125,64
771-030	SAAR030	Bubble tube	1	40,86
625-603-030	SAAR03030	Reduction Tube	1	217,8
760-304	SAAR0304	Teflon Washer	1	4,86
501-031	SAAR031	Induction Coil, Hydrocarbon	1	186,66
503-033	SAAR033	Sulfur Trap, Filled	1	50,4
625-603-353	SAAR03353	Incoming Scrubber Tube	1	126
760-034	SAAR034	Graphite Crucibles	1000	832,68
625-710-392	SAAR0392	Reagent tube, OHN836	1	81
528-040	SAAR040	Cover, 4mm hole	1000	262,26
619-590-409	SAAR0409	Quartz catalyst tube	1	196,2
528-040	SAAR040P	Cover, 4mm hole	250	86,4
619-590-412	SAAR0412	Quartz catalyst tube	1	93,6

Leco Part. No.	Säntis Part. No.	Description	pcs / kg	Tarif € HT
528-042	SAAR042	Porous covers	1000	339,48
550-044	SAAR044	Insulator, Porcelain 521/523	1	63
550-046	SAAR046	Resistor, 521/523	1	85,86
761-047	SAAR047	3" / 7.62 cm Drying Tube	1	33,66
503-051	SAAR051	Oxygen Baffle, for 1 1/8" ID Tube	1	93,06
503-052	SAAR052	Oxygen Baffle, for 1 1/4" ID Tube	1	93,06
762-056	SAAR056	Combustion tube	1	83,16
772-905	SAAR057	Combustion tube	1	66,24
762-058	SAAR058	O-Ring, Lower adapter	1	1,8
501-060	SAAR060	Manganese Dioxide, 30 CC / 30 ml	1	58,32
501-062	SAAR061	Boat Puller	1	115,92
501-592	SAAR062	Manganese Dioxide, 250CC	1	350,64
601-064 / 764-720	SAAR064	Quartz Heater Tube, CF-10	1	264,6
532-065	SAAR065	Burette for 532-500	1	793,98
532-066	SAAR066	Vessel, for 532-500	1	Sur demande
501-067	SAAR067	Rotometer Ball Only	1	11,34
760-072	SAAR072	28 DVC Bulbs	1	8,82
501-073	SAAR073	Graphite Powder, (Bottle)	0,100	60,48
501-076	SAAR076	Tin Metal, 20 Mesh	0,908	139,86
501-077	SAAR077	Iron Chip	0,908	52,74
501-078	SAAR078	Accelerator, Fe Powder	0,454	69,48
501-079	SAAR079	Alphanal Wetting Agent	0,118	32,4
501-057	SAAR079G	Alphanal	3,785	248,58
501-179	SAAR079P	Alphanal	0,454	47,52
501-081	SAAR081	Glass Wool, Not deactivated	0,454	129,6
771-883	SAAR083	Bubble Tube (EC 12)	1	111,6
767-385	SAAR085	Quartz Wool, Coarse	1	87,66
780-892	SAAR0892	Graphite Covers, for AR7808	1000	Sur demande
502-091	SAAR091	Calcium oxalate standard	0,050	55,8
776-095	SAAR095	Silicone Tubing Dust Coll.	1	12,6
764-098	SAAR098	Cellulose Trap Material	1	49,5
501-009	SAAR100	Residual oil standard, (approx. 88.0% C, 10.1% H, 0.19% N, 18.408% BTU,	0,113	236,34
501-009	SAAR1009	Spring Clip for Dust Trap	1	44,82
781-101	SAAR101	Thermistor, Low Water	1	233,28
771-015	SAAR1015	Manual WT Comp Control, CS46	1	291,6
622-001-026	SAAR1026	Glass Tube, FP628	1	105,84
537-103 / 763-191	SAAR103	1/4" OD Polyflow Tubing, 30 cm	1	3,24
501-034	SAAR1034	Calcium Carbonate, 12%	0,050	43,2
511-038	SAAR1038	Pin Tube Holder	1	96,3
501-045	SAAR1045	Zircon crucible	1	7,2
501-053	SAAR1053	Acentanilide	0,010	41,58
773-106	SAAR106	Delivery Tube	1	105,84
501-061	SAAR1061	Arrowroot Starch	0,227	44,82
601-065	SAAR1065	Pyrex Reagent Tube, CF-10	1	152,1
781-098	SAAR1098	Thermistor, High Water	1	244,98
501-110	SAAR110	3/8" / 305 mm I.D. Silicone Tubing	1	6,3
501-110-019	SAAR11019	Silicone Rubber Tube, 3/8" x 19"	1	15,3
625-711-116	SAAR1116	Reagent tube, OHN836	1	141,84
625-711-117	SAAR1117	Reagent tube, for OHN836	1	121,5
675-711-182	SAAR11182	Upper electrode cleaning brush	1	146,7
625-711-186	SAAR11186	Upper Electrode Cleaning Brush	1	117
501-112	SAAR112	1/4" I.D. Neoprene Tubing	1	9
521-113	SAAR113	Silicone Ring Seal	1	9
601-133	SAAR1133	O-Ring, CHN, 1.0 x 1.25 mm	1	5,76
521-112	SAAR114	Silicone Tubing, 4" x 3/8" ID	1	11,34
611-351-142	SAAR1142	Catalyst Tube	1	134,64
606-312 / 608-378 / 611-476	SAAR1147	O-Ring	1	2,7
601-158	SAAR1158	O-Ring, CHN 800	1	2,34
601-159	SAAR1159	O-Ring, CHN 800	1	2,34
601-201	SAAR1201	Reaction Tube DH103	1	556,02
780-047	SAAR1202	Reaction Tube, for DH102	1	625,86
502-005	SAAR1205	Pipette Brush	1	16,2
611-207	SAAR1207	Puller Shaft Assembly, with Finger	1	134,82
550-123	SAAR123	Pedestal Insert	1	5,04
550-124	SAAR124	Pedestal, 2.50"	1	13,5
501-265	SAAR1265	Crucible Holder Tray	1	109,26
771-275	SAAR1275	Pneumatic Cylinder, CS46/IR112	1	660,42
776-129	SAAR129	Induction Coil, CS 144-444	1	213,66
751-300	SAAR1300	Electronic Balance, 4th Place	1	Sur demande
619-591-314	SAAR1314	Reagent tube, CS744 CS844 OHN836	1	119,16
619-591-315	SAAR1315	Quartz reagent tube, for CS744 and CS844	1	100,8
625-401-294 / 625-401-317	SAAR1317	Stainless Steel Purge Tube	1	185,22
601-132	SAAR132	Combustion Tube CHN 800	1	444,96
761-133	SAAR133	Drying Tube, 17.125" / 43.5 cm	1	56,16
611-351-223	SAAR1351	Combustion Tube, HD	1	70,02
625-401-352	SAAR1352	Lance Tube, Truspec, 225 mm	1	51,12
771-367	SAAR1367	Quartz Crucibles, DC12	1	695,16
760-138	SAAR138	Tweezers, straight	1	23,58
619-591-385	SAAR1385	O-Ring	1	4,5

Leco Part. No.	Säntis Part. No.	Description	pcs / kg	Tarif € HT
540-140	SAAR140	Bulb	1	15,48
190-142	SAAR142	Screws for Lower Electrode, 4 Required	1	9,36
781-424	SAAR1424	O-Ring	1	3,6
771-425	SAAR1425	Power Triode RH-2, 7.5V	1	Sur demande
611-431	SAAR1431	O-Ring, 132	1	12,24
501-144	SAAR144	Magnesium Oxide	0,454	54,9
	SAAR147	1g Copper pin standard low oxygen, (approx. 0.0007% O, 0.0013% S), see certificate for actual values	100	270
606-312 / 608-378 / 611-476	SAAR1476	O-Ring, Inner combustion tube, SC432	1	15,84
606-310 / 611-477	SAAR1477	O-Ring, Outer combustion tube, SC432	1	22,32
501-147	SAAR148	1g Copper pin standard high oxygen, (approx. 489 PPM O, 6 PPM S), see certificate for actual values	100	307,8
501-148	SAAR149	1g Copper pin standard high oxygen, (approx. 323 PPM O, 11 PPM S), see certificate for actual values	100	307,8
601-490	SAAR1490	Pelletizing Foiler Device	1	986,04
601-504	SAAR1504	O-Ring, Loading block, FP228	1	4,14
601-505	SAAR1505	O-Ring, Combustion tube, FP228, RC612	1	8,82
601-506	SAAR1506	Combustion tube	1	Sur demande
625-601-554	SAAR1554	Outer combustion tube	1	349,74
625-601-555	SAAR1555	Inner combustion tube	1	255,24
156-003	SAAR156	O-Ring	1	1,98
598-157	SAAR157	Moisture Trap, Filled, 750, 598	1	111,6
598-158	SAAR158	Moisture Trap, Unfilled, 750, 598	1	93,06
781-585	SAAR1585	Over Temp Thermocouple, RC612	1	494,1
501-608	SAAR1608	Quartz Wool Wadding	0,200	282,6
761-651	SAAR1609	O-Ring, Lance, FP/CHN	1	1,8
501-614	SAAR1614	Spatula	1	13,5
604-163	SAAR163	Brass Brush	1	52,2
	SAAR1647	1g O/N in steel pin standard, (approx. 0.0029% O, 0.145% N), see certificate for actual values	100	152,64
550-165	SAAR165	Spring Clip for Combustion Tube	1	26,64
	SAAR1650	1g O/N in steel pin standard, (approx. 0.0100% O, 0.0102% N), see certificate for actual values	100	146,7
501-645	SAAR1651	1g O/N in steel pin standard, (approx. 0.0039% O, 0.0214% N), see certificate for actual values	100,000	167,4
	SAAR1652	1g O/N in steel pin standard, (approx. 0.0037% O, 0.0540% N), see certificate for actual values	100	139,68
	SAAR1653	1g O/N in steel pin standard, (approx. 0.0006% O, 0.0020% N), see certificate for actual values	100	125,1
502-169	SAAR169	Alphasolve , 8-20 mesh, HMA HMG	0,250	85,14
601-691	SAAR1691	125 Cflex Tubing, 12" / 30 cm	1	7,02
601-691-030	SAAR169130	Cflex Tube, 30" / 76.2 cm	1	12,06
601-691-036	SAAR169136	Cflex Tube, 36" / 91.44 cm	1	16,2
619-591-699	SAAR1699	Particle filter	1	34,02
502-383	SAAR1700	Coal standard, (approx. 0.38% S), see certificate for actual values	0,050	128,34
501-001 / 502-433	SAAR1701	Coal standard, (approx. 0.45% S), see certificate for actual values	0,050	128,34
	SAAR1703	Coal standard, (approx. 0.89% S), see certificate for actual values	0,050	128,34
501-005 / 502-435 / 502-671	SAAR1704	Coal standard, (approx. 1.04% S), see certificate for actual values	0,050	141,84
501-014 / 502-436	SAAR1705	Coal standard, (approx. 1.41% S), see certificate for actual values	0,050	128,34
767-757 / 502-672	SAAR1706	Coal standard, (approx. 2.03% S), see certificate for actual values	0,050	141,84
767-758	SAAR1707	Coal standard, (approx. 2.63% S), see certificate for actual values	0,050	128,34
501-020 / 502-437 / 502-673	SAAR1708	Coal standard, (approx. 2.8% S), see certificate for actual values	0,050	142,2
501-022	SAAR1709	Coal standard, (approx. 3.6% S), see certificate for actual values	0,050	128,34
501-171-HAZ	SAAR171	Magnesium Perchlorate, 8-20 Mesh	0,454	73,8
501-130 / 502-674	SAAR1710	Coal standard, (approx. 4.1% S), see certificates for actual values	0,050	142,2
501-184 / 502-438	SAAR1711	Coal standard, (approx. 5.59% S), see certificate for actual values	0,050	128,34
501-964	SAAR1712	Coal standard, (approx. 5.88% S), see certificate for actual values	0,050	128,34
604-172	SAAR172	O-Ring	1	2,52
	SAAR1720	Prox coal standard, (approx. 0.39% S), see certificate for actual values	0,050	261
501-428	SAAR1721	Prox coal standard, (approx. 0.52% S), see certificate for actual values	0,050	282,6
501-955	SAAR1722	Prox coal standard, (approx. 0.79% S), see certificate for actual values	0,050	282,6
501-429	SAAR1723	Prox coal standard, (approx. 1.2% S), see certificate for actual values	0,050	282,6
501-430	SAAR1724	Prox coal standard, (approx. 1.42% S), see certificate for actual values	0,050	282,6
501-431	SAAR1726	Prox coal standard, (approx. 1.91% S), see certificate for actual values	0,050	282,6
501-369	SAAR1727	Prox coal standard, (approx. 2.34% S), see certificate for actual values	0,050	282,6
501-432	SAAR1728	Prox coal standard, (approx. 2.95% S), see certificate for actual values	0,050	282,6
501-957	SAAR1729	Prox coal standard, (approx. 3.62% S), see certificate for actual values	0,050	282,6
502-173 / 502-294	SAAR173	Alphacell II HP, Tungsten/Tin	0,750	241,02
501-433	SAAR1730	Prox coal standard, (approx. 6.18% S), see certificate for actual values	0,050	282,6
	SAAR1733	Prox coal standard, (approx. 0.55% S), see certificate for actual values	0,050	282,6
619-591-740	SAAR1740	Reagent tube, for CS744 and CS844	1	70,02
549-076	SAAR176	Bulb, Light Source , for 518, 532	1	7,2
550-183	SAAR179	Quartz Crucible Insert , for AR180	1	34,2
550-182	SAAR180	Quartz Enclosed Graphite Crucible	1	600,12
511-039	SAAR181	3mm ID Evacuated Pin Tube	1000	712,8
511-036	SAAR182	4mm ID Evacuated Pin Tube	1000	712,8
511-390	SAAR183	6mm ID Evacuated Pin Tube	100	149,4
550-187	SAAR186	Capacitor	1	80,46
601-862-110	SAAR1862	Furnace, FP-428, 550-650 Watts	1	620,46

Leco Part. No.	Säntis Part. No.	Description	pcs / kg	Tarif € HT
521-186	SAAR187	Solid State Rectifier	1	124,92
781-883	SAAR1883	Ink Jet Paper 500	1	66,6
761-190	SAAR190	Drying Tube, 11.75" / 30 cm	1	45
	SAAR1905	Coal standard (approx. 77.10% C, 1.88% H, 1.00% N), see certificate for	0,025	122,94
	SAAR1907	Coal standard (approx. 62.34% C, 3.31% H, 1.01% N), see certificate for	0,025	124,02
762-192	SAAR192	IR So2 Cell, CS44/IR32/33	1	Sur demande
760-193	SAAR193	Metal Screen	1	2,7
601-939	SAAR1939	O-Ring, Doser, FP428	1	2,7
760-841	SAAR194	O-Ring, Quick disconnect	1	1,8
501-951	SAAR1951	Nickel Calibration Wire	1	22,5
619-591-969	SAAR1969	Brass Brush	1	33,12
619-591-970	SAAR1970	Slotted SS Cleaning Brush	1	42,66
585-235	SAAR200	AL203, 7" x 3/4" H x 1/16"	1	22,86
585-600	SAAR2000	Pin Cutter, 1 H.P., 115VAC, 60 Hz	1	Sur demande
585-500	SAAR2000X	Pin Cutter, 1 H.P., 230VAC, 50 Hz	1	Sur demande
501-561	SAAR2016	Soy Bean Meal SRM	0,030	60,3
501-272	SAAR2017	Corn gluten, CHNS	0,030	63
502-273	SAAR2018	Alfalfa standard (approx. 3.52% N, 0.27% S), see certificate for actual values	0,030	63
502-274	SAAR2019	Wheat flour, CHNS	0,030	63
606-202	SAAR202	Furnace Fan , for FP2000 Series	1	126
502-275	SAAR2020	Rye flour, CHNS	0,030	63
501-046, 501-441, 501-563	SAAR2021	Sucrose	0,050	45
501-563	SAAR2025	Corn Meal SRM	0,030	63
502-276	SAAR2026	Oat meal, CHNS	0,030	63
502-277	SAAR2027	Barley, CHNS	0,030	63
502-278	SAAR2028	Rice flour, CHNS	0,030	63
572-031	SAAR2031	Splashproof Device	1	93,06
782-038 / 783-299	SAAR2038	Combustion tube	1	942,84
501-027 / 517-204	SAAR204	Aspirator / Ruber Squeeze Bulb	1	53,46
502-266 / 774-205	SAAR205	Firing Fuse Wire, 300 Determinations X 0.006" Dia	1	18
782-059	SAAR2059	Nickel Boat Liners, for AR1335	10	98,1
774-208	SAAR208	Benzoic acid tablet, 1g	10	10,8
774-208	SAAR208C	Benzoic acid tablet, 1g	100	63,36
774-208	SAAR208V	Benzoic acid tablet, 1g	500	283,5
502-211	SAAR211	Glycine Stanard 99%, see certificate for actual values	0,050	62,1
502-122	SAAR2122	Firing Fuse Wire, 2"	10	8,1
763-213	SAAR213	Graphite Crucible, for RH-1E	1000	1696,68
502-134	SAAR2134	Benzoic acid tablet, 1.45g	10	14,4
502-134	SAAR2134V	Benzoic acid tablet, 1.45g	50	528,12
502-156 / 502-493	SAAR2156	Fluorhibit	0,454	33,48
502-174-HAZ / 502-168-HAZ	SAAR2174	Sansorb II, CO2 Adsorbent, 0.8 to 1.6mm	0,500	234
502-176-HAZ	SAAR2176	Sansorb II, CO2 Absorbent, 8-20 Mesh	0,500	261
502-177 / 502-314	SAAR2177	Fine Quartz Wool, 4-12 Micron	0,050	86,4
502-183	SAAR2183	Nickel capsules for liquids, 6.7 x 10.0 mm	100	133,2
502-007	SAAR2189	Tube Cleaner, 8mm x 4ft, FP428	1	22,68
502-209	SAAR2209	Sulphamethazine OAS, see certificate for actual values	0,005	32,4
760-224	SAAR224	O-Ring	1	1,98
502-310	SAAR2310	Steel Wool Filter Material	0,454	15,3
502-311	SAAR2311	Furnace Reagent 1000	1,000	85,86
501-233	SAAR233	Ceramic Adhesive Alumina	0,057	57,6
782-338	SAAR2338	Moisture Removal Tube, Indicating	1	532,62
772-568	SAAR233Q	Ceramic Adhesive Alumina	1	310,68
501-234	SAAR234	Oxygen Specimen File	1	347,76
612-340	SAAR2340	O-Ring, Thermistor block, Truspec	1	3,78
502-345	SAAR2345	Nickel basket 1.5g	100	187,2
	SAAR235	File cleaner	1	Sur demande
502-359	SAAR2359	Furnace Reagent, MGO	0,200	87,3
502-374	SAAR2374	Heater Particulate Filter	50	107,1
772-381	SAAR2381	Lance Cleaning Wire	1	12,78
772-402	SAAR2402	Lance SC-32/132/CR-12	1	124,56
501-241 / 609-107	SAAR241	High vacuum grease	0,150	72,54
782-428	SAAR2428	Quartz Catalyst Tube, RC-412	1	208,8
767-243	SAAR243	Female Cliplock Fitting	1	21,6
772-460	SAAR2460	Pressure Sensor	1	1774,8
770-247	SAAR247	Filter , for SC32/132	1	40,14
502-489	SAAR2489	Porous Crucible, CHN	10	355,5
762-501	SAAR2501	Handle , for Rebuilt 521	1	68,58
172-505	SAAR2505	Teflon Tubing, 1/4" OD	1	7,38
625-068	SAAR25068	Element Clips	1	21,96
702-557	SAAR2557	O-Ring, Truspec	1	3,42
772-560	SAAR2560	Chopper Motor	1	216
598-257 / 614-591	SAAR257	Cabinet Fan, 110V	1	109,98
782-601 / 789-122	SAAR2601	Vacuum Cleaner, Specify , 110/220 VAC	1	794,16
763-261	SAAR261	Filter Paper	100	47,34
602-615	SAAR2615	Furnace Housing w/o , End Caps FP2000	1	778,5
762-621	SAAR2621	IR Co2 Cell, CS44/IR12	1	Sur demande
762-627	SAAR2627	Biscuit Fan, CS44	1	123,48
501-263	SAAR263	Copper Metal Accelerator	1,362	61,56
501-264	SAAR264	Copper Metal Accelerator	0,227	19,8

Leco Part. No.	Säntis Part. No.	Description	pcs / kg	Tarif € HT
763-265	SAAR265	Glass Wool	0,227	75,6
763-263	SAAR266	Alphacel, coarse grain Tungsten , -12/+20 mesh	2,300	510,3
763-027	SAAR266B	Alphacel, coarse grain Tungsten , -12/+20 mesh, 30lb	13,607	Sur demande
772-269	SAAR269	O-Ring	1	3,51
585-270	SAAR270	AL203 Cut-off Wheel, 7 x 1" x 1/16"	1	22,86
782-703-100	SAAR27035	Hi Purity Outer Graphite Crucible, thickness: 1.5mm	100	207,9
604-271	SAAR271	SS Fluted Brush, Dia Slotted	1	37,26
772-747	SAAR2747	Fan , for CS244	1	291,6
767-277	SAAR277	Graphite Crucibles	1	908,1
501-648	SAAR2776	Ultimate coal standard, (see certificate for actual values)	0,050	386,1
783-274 / 783-278	SAAR278	Furnace Lance only , without Metal Ring	1	208,8
776-279	SAAR279	Catalyst heater tube	1	135
782-795	SAAR2795	Inner Crucible for SAAR27035, thicker wall	1000	936
501-095	SAAR2814	Residual oil, (approx. 0.99% S), see certificate for actual values	0,100	138,6
502-026	SAAR2818	Residual Oil	0,114	138,6
501-458	SAAR2822	#2 Diesel Oil	0,114	138,6
776-283	SAAR283	Lance	1	158,4
764-545	SAAR2832	Lube oil, approx. 0.25% S	0,118	138,6
764-546	SAAR2835	Lube oil, (approx. 1% S), see certificate for actual values	0,118	138,6
764-547	SAAR2836	Lube oil, (approx. 2% S), see certificate for actual values	0,118	138,6
501-099	SAAR2837	Lube oil, (approx. 4% S), see certificate for actual values	0,118	138,6
776-284	SAAR284	O-Ring, Combustion tube FP228	1	2,34
776-286	SAAR286	Combustion tube	1	793,8
502-071	SAAR2864	Lube oil, (approx. 29.67% S), see certificate for actual values	0,118	194,4
521-287	SAAR287	Suppressor Coil	1	33,66
782-880	SAAR2880	Vacuum Filter , for CS444	1	42,84
772-906	SAAR2906	Combustion Tube Ring Holder	1	48,06
501-291	SAAR291	Oxygen Regulator Assembly	1	642,42
772-910	SAAR2910	O-Ring, Piston seal, FP228	1	1,98
188-012 / 760-293 / 775-416	SAAR293	Small Throat Brush	1	6,3
761-383 / 775-416	SAAR293H	Small Brush Handle Only	1	56,16
763-295	SAAR295	Thermostat, Upper Electrode	1	175,5
502-298	SAAR298	Sulfamethazine standard	0,025	165,6
	SAAR299	Iron standard, (approx. 0.97% C, 0.0102% S), see certificate for actual values	0,150	238,14
	SAAR300	Cast iron standard, (approx. 3.26% C, 0.021% S), see certificate for actual values	0,150	238,14
501-105	SAAR301	Cast iron standard, (approx. 1.99% C, 0.0162% S), see certificate for actual values	0,150	203,4
	SAAR302	Grey iron standard, (approx. 3.3% C, 0.057% S), see certificate for actual	0,150	234
503-020	SAAR3020	Boron Distillation Apparatus	1	Sur demande
	SAAR303	Nodular iron standard, (approx. 3.92% C, 0.021% S), see certificate for	0,150	237,6
501-083	SAAR304	Ductile iron standard, (approx. 4.21% C, 0.0212% S), see certificate for actual values	0,150	203,4
	SAAR305	Malleable iron standard, (approx. 2.75% C, 0.015% S), see certificate for actual values	0,150	178,74
	SAAR306	Nodular iron standard, (approx. 3.5% C, 0.019% S), see certificate for actual	0,150	178,74
501-123	SAAR307	Tungsten carbide standard, (approx. 6.13% C, 0.0055% S), see certificate for actual values	0,100	147,6
502-085, 502-699	SAAR3085	Zinc sulfide standard, (approx. 32.90% S), see certificate for actual values	0,050	194,4
	SAAR309	Nodular iron standard, (approx. 3.71% C, 0.021% S), see certificate for actual values	0,150	196,2
	SAAR310	Cast iron standard, (approx. 3.38% C, 0.086% S), see certificate for actual values	0,150	234,9
773-311	SAAR311	SST Filter	1	271,44
775-312	SAAR312	O-Ring, Lower electrode	1	13,14
775-313	SAAR313	Teflon Backup Ring	1	23,4
773-136	SAAR3136	Fitting, SS , for FP428	1	75,6
775-314	SAAR314	O-Ring, Piston block	1	9
	SAAR315	Cast iron shot standard, (approx. 3.09% C, 0.111% S), see certificate for actual values	0,150	178,74
760-316	SAAR316	Washer	1	9
760-317	SAAR317	Glass Tube, 6.64" / 16.87 cm	1	30,6
	SAAR318	Cast iron standard, (approx. 3.08% C, 0.037% S), see certificate for actual values	0,150	178,74
783-189	SAAR3189	O-Ring, CHN1000	1	12,6
	SAAR319	Cast iron standard, white iron, (approx. 3.28% C, 0.055% S), see certificate for actual values	0,150	178,74
773-141 / 773-320	SAAR320	O-Ring	1	1,98
529-018	SAAR3203	Ceramic Nozzle , 320-00203 Lecomelt	1	3,6
502-321	SAAR321	Alphacat Accelerator	0,250	179,1
501-024	SAAR322	Cast iron standard, (approx. 3.41% C, 0.050% S), see certificate for actual	0,250	333,9
	SAAR323	Pig iron standard, (approx. 3.92% C, 0.075% S), see certificate for actual values	0,250	292,5
	SAAR330	#2 Diesel CHN standard, (approx.87.05%C,13.08%H,0.0098%N,0.034% S,19.418%), see certificate for actual values	0,118	274,14
783-301	SAAR3301	Brush End, .38 Diameter	1	63,54
619-803 / 783-302 / 625-711-186	SAAR3302	Upper Electrode Brush, 21mm diameter	1	109,98
625-510-566	SAAR3302H	Handle upper electrode	1	73,8
764-330	SAAR331	Graphite Crucible, Hydrogen Analysis, H=1.25" x OD=0.625"	100	158,4
773-314	SAAR3314	Unfluted Cleaning Brush	1	21,6
764-330	SAAR3315	Graphite Crucible, Hydrogen Analysis, H=1.25" x OD=0.625"	1	3,6
760-333	SAAR333	Drying Tube, 8" / 20.32 cm	1	29,7
764-640	SAAR334	100 PF Capacitor	1	121,32
764-641	SAAR335	200 PF Capacitor	1	85,86
763-379	SAAR3379	O-Ring, FP428	1	1,98
502-338	SAAR338	Alphagel Capsules, for FP428	400	58,68
502-382	SAAR339	Medium Alphagel Caps	400	89,1
775-288	SAAR3403	Benzoic acid powder	0,454	42,84

Leco Part. No.	Säntis Part. No.	Description	pcs / kg	Tarif € HT
608-342	SAAR342	Quartz inner combustion tube	1	283,5
603-433	SAAR3433	O-Ring	1	6,3
608-344	SAAR344	Combustion tube, outer CHN1000	1	519,84
603-493	SAAR3493	O-Ring	1	2,34
502-351	SAAR351	Halogen Scrubber	0,050	117
	SAAR3520	Low sulphur lube oil, Set of 8 bottles	1	1152,9
771-354	SAAR354	Oscillator Tube , CS-144-444	1	1734,48
775-355	SAAR355	Catalyst Tube, 10.75"	1	149,04
762-357	SAAR357	O-Ring, Upper adapter	1	1,98
760-359	SAAR359	O-Ring, Quick disonnect	1	1,98
501-640	SAAR366	Copper Metal Accelerator, 25 lb	11,340	345,06
773-662	SAAR3662	Polyflo Flex Tubing , CHN	1	1,98
781-371	SAAR371	Fan for CS244, 240V, 50/60Hz	1	264,6
771-373	SAAR373	Drying Tube	1	125,1
618-376	SAAR376	Electrode Insert	1	187,2
780-379	SAAR379	Quartz Window	1	200,34
528-018	SAAR3818	Ceramic crucibles	1000	271,44
528-050	SAAR3818B	Ceramic crucibles	500	145,26
763-873	SAAR3873	Isolation Box Bulb, 28VDC	1	9
783-190 / 783-897	SAAR3897	O-Ring, CHN1000	1	16,56
601-390	SAAR390	Quick Disc Tube , FP428	1	78,84
603-910	SAAR3910	O-Ring	1	1,98
771-040 / 773-913	SAAR3913	O-Ring	1	1,98
773-928	SAAR3928	Delivery Tube , for SC32/132	1	288,36
775-446 / 782-534 / 782-835	SAAR3930	Electrode Insert Repair Service	1	1151,1
773-932	SAAR3932	Combustion Tube Repair Service	1	645,3
609-394 / 616-635	SAAR394	Heat Shield for FP/NS2000, Replaces 609-394	1	201,78
601-397	SAAR397	CERAMIC WOOL SHIM	6	15,66
603-970	SAAR3970	O-Ring, RF402, upper load mech	1	9
603-971	SAAR3971	O-Ring, RH402, upper load mech	1	5,22
501-457	SAAR400	Tin Coated Copper	1,500	86,4
502-319	SAAR4005	Ore standard, 30g, C=1.42%, S=1.41%	0,030	113,04
502-320	SAAR4006	Ore standard (approx. values 4.19% C, 4.07% S), see certificate for actual values	0,030	113,04
502-372	SAAR4007	Ore standard, 30g, C=7.62%, S=3.25%	0,030	107,64
771-401	SAAR401	Reaction Tube , for RH-2	1	500,4
502-309	SAAR4012	Limestone standard, (approx. 12% C, 0.04% S), see certificate for actual values	0,025	108
	SAAR4014	Limestone standard, 5.87% C, 0.029% S	0,025	104,22
	SAAR4015	C/S in soil standard, (approx. 1.18% C, 0.12% S), see certificate for actual values	0,025	171,9
502-308	SAAR4016	C/S in soil standard, (approx. 2.24% C, 2.08% S), see certificate for actual values	0,025	158,4
502-318	SAAR4017	C/S in soil standard, (approx. 0.50% C, 0.44% S), see certificate for actual values	0,025	118,8
	SAAR4018	C/S in soil standard, (approx. 1.26% C, 1.25% S), see certificate for actual values	0,025	108
	SAAR4019	C/S in soil standard, (approx. 0.1% C, 0.1% S), see certificate for actual values	0,025	108
775-814	SAAR402	Reaction Tube, Thick Wall, RH2/3	1	973,08
502-062	SAAR4020	Soil Standard (Sandy), see certificate for actual values	0,100	147,6
	SAAR4025	Nitrogen in soil standard, (approx. 0.5% N), see certificate for actual values	0,025	229,5
606-403	SAAR403	Collection Tube Brush, SC432	1	7,2
774-031	SAAR4031	Quick Disconnect Tube , 1.38" OD	1	192,24
194-060	SAAR4060	Hex Jam Nut , for AR5814	1	1,62
771-407	SAAR407	O-Ring	1	6,12
760-414 / 769-994	SAAR414	Graphite Crucible	1000	1228,5
544-147	SAAR4147	Leveling Bottle	1	1659,96
762-057	SAAR416	O-Ring, Dust filter	1	8,46
762-060	SAAR417	O-Ring, Backup	1	6,12
774-174 / 789-116	SAAR4174	Purge Tube, SC32/132	1	298,62
774-204	SAAR4204	AC Crucibles, SST	10	109,62
774-211	SAAR4211	O-Ring, 2.6 x 2.875 mm	1	6,3
764-216	SAAR4216	Helium Regulator Assembly	1	652,32
589-551	SAAR422	O-Ring, Auto drop	1	2,16
760-335	SAAR424	O-Ring	1	3,78
604-241	SAAR4241	Combustion tube HF-402/RH402	1	56,7
760-225	SAAR425	O-Ring , Loading head plunger	1	4,86
774-253	SAAR4253	O-Ring	1	3,24
501-426	SAAR426	Combustion Control, Solid Samples	0,454	98,1
501-427	SAAR427	Combustion Control, Liquid Samples	0,454	121,68
568-016 / 760-226	SAAR428	O-Ring	1	2,16
774-283	SAAR4283	O-Ring	1	8,28
771-446	SAAR429	O-Ring	1	3,6
775-892	SAAR431P	Inner Graphite Crucible	100	118,98
775-425	SAAR432	O-Ring, Closure block	1	2,34
775-433	SAAR433	Outer Graphite Crucible	50	93,6
604-373	SAAR4373	Capsule Holder	1	31,86
617-440	SAAR440	O-Ring, Filter assembly TC600	1	2,16
601-441	SAAR441	Quartz Lance Tube, FP428	1	55,8
601-442	SAAR442	O-Ring, FP428, RC612	1	2,34
772-446	SAAR446	Glass Viewing Shield, SC32/132	1	108,18
772-449	SAAR449	Rod, Extensions, Glass Shield	1	44,1
604-496	SAAR4496	Teflon Flx Tubing, .125 x .032W, ft	1	4,5
502-450	SAAR450	Heated Particulate Filter, 33M	50	122,58
604-541	SAAR4541	Lance Tube Quartz, CHN900/932	1	69,3

Leco Part. No.	Säntis Part. No.	Description	pcs / kg	Tarif € HT
764-502	SAAR4544	Rotron Furnace Fan	1	502,56
774-570	SAAR4570	Vacuum Pump , for Early SC32 110VAC	1	1484,1
774-571	SAAR4571	Vacuum Pump , for SC32/132, 24VDC	1	1083,96
774-460	SAAR460	Thermocouple Assembly , SC32/132/CR12	1	352,98
774-613	SAAR4613	O-Ring, HF400, pinch valve	1	3,24
763-467	SAAR467	Iron Chip 25#	11,400	534,78
769-335 / 772-469 / 781-165	SAAR469	SS Relay, HF10 , 44F 6848 240 D45	1	139,32
502-023	SAAR473	Reagent Tube Funnel	1	69,48
601-482	SAAR482	Honeycomb Support, FP428	1	34,2
601-483	SAAR483	Printer Paper, 9 1/2 x 11	600	30,96
601-484	SAAR484	Printer Ribbon Cartridge	1	47,34
774-489	SAAR489	O-Ring, Upper electrode	1	3,06
764-490	SAAR490	Pedestal, 2-3/4"	1	16,74
761-492	SAAR492	O-Ring, FP428	1	6,12
614-961 / 614-961-110	SAAR4961	Large Crucible, FP 528 Truspec	10	296,46
614-962	SAAR4962	Lance, FP528	1	278,1
516-004	SAAR504	Rotometer	1	417,24
516-005	SAAR505	Drying Tower	1	208,8
516-006	SAAR506	Acid Tower	1	514,44
625-067	SAAR5067	Heating Elements, Set	6	1071
765-068	SAAR5068	IR Oxygen Cell , for RO17	1	Sur demande
501-089 / 516-063	SAAR507	Valve Assembly , for 516-000	1	133,74
	SAAR510	0.5g C/S pin standard, (approx. 2.41% C, 0.091% S), see certificate for actual values	0,250	203,4
625-510-402	SAAR5104	Combustion Tube, RC612	1	787,5
	SAAR511	0.5g C/S pin standard, (approx. 0.083% C, 0.238% S), see certificate for actual values	0,250	178,74
625-511-154	SAAR511154	Lower Crucible, CHN	5	172,8
611-351-180	SAAR51180	Electrode Insert , Rhen602 With Automation	1	239,4
	SAAR512	0.5g C/S pin standard, (approx. 0.016% C, 0.262% S), see certificate for actual values	0,250	178,74
625-505-125	SAAR5125	Catalyst Heater Tube , RC612	1	118,8
	SAAR513	0.5g C/S pin standard, (approx. 0.021% C, 0.387% S), see certificate for actual values	0,250	194,4
625-505-138	SAAR5138	Heating Element Assembly , RC612	1	Sur demande
783-515	SAAR515	O-Ring	1	2,16
625-505-168	SAAR5168	Combustion Tube, RC612	1	775,8
604-518	SAAR518	SS Cleaning Brush, Unslotted	1	28,44
772-520	SAAR520	O-Ring, SC32, CS244, 344, RC612	1	2,7
762-523 / 770-436	SAAR523	Oven Fan, Howard Fan	1	180,72
625-505-271	SAAR5271	Knurled Adapter, RC612	1	122,4
528-230	SAAR5282	Combustion Boat, Glazed for Liquids	50	170,1
529-007	SAAR529	Ceramic Pedestal, 3.05"	1	13,5
775-306	SAAR5306	Secondary Filter	1	112,86
532-500	SAAR532	Automatic Sulfur Titrator	1	Sur demande
775-330	SAAR5330	Four Way Valve	1	368,64
767-541	SAAR541	Drying tube bubble 7"	1	102,06
767-542	SAAR542	Scoop for Tungsten, 0.01cc, Small	1	28,44
775-431	SAAR5431	Inner Graphite Crucible	1000	754,2
775-431	SAAR5431P	Inner Graphite Crucible	100	79,2
772-739	SAAR544	Catalyst Tue (10.75")	1	48,6
762-747	SAAR546	1g Hydrogen in steel CRM, (approx. 0.83PPM H), see certificate for actual values	100	307,8
550-167	SAAR550	Furnace Fan for Models 521/523, 115VAC	1	513,72
502-061	SAAR555	1g Hydrogen in steel CRM, (approx. 0.00024% H), see certificate for actual values	100	307,8
621-605-560	SAAR5560	O-Ring, for Leco AC600	1	5,76
175-574	SAAR5574	Optical Switch Assembly	1	93,24
175-590	SAAR5590	Pump Repair Kit, SC32/132	1	111,6
145-601	SAAR5601	Water Temp Regulator	1	1324,62
773-561	SAAR561	SS Cleaning Brush, Straight Slotted	1	30,6
606-286 / 613-563	SAAR563	Short Strap, SC432	1	12,6
175-631	SAAR5631	Motor Brush , for 774-571	1	86,4
175-632	SAAR5632	O-Ring, Flow controller	1	2,34
175-659	SAAR5659	Paper Deflector , V55147	1	11,16
175-674	SAAR5674	Tear Off Blade Spring	1	7,92
501-571 / 502-076	SAAR571	Copper capsules	100	52,74
773-579	SAAR579	Metal Scoop	1	27
605-814	SAAR5814	Pedestal Adapter Assembly	1	84,6
605-815	SAAR5815	Pedestal Adapter, CS144-CS444	1	27,9
765-818	SAAR5818	Optic Isolation Cable	1	889,92
775-859	SAAR5859	Wire Cleaning Brush, SC32/132	1	8,1
	SAAR592	0.25g H/C in titanium pin standard, (approx. 0.0192% H, 0.012% C), see certificate for actual values	100	538,2
593-100	SAAR593	Timer, Sulfur Titrator	1	1459,62
778-596	SAAR596	SST Filter	1	313,74
765-976	SAAR5976	O-Ring, AC AC100, FP428	1	2,34
501-598	SAAR598	Nibbled Nickel Flux	0,100	236,34
502-020	SAAR599	Etchable Nickel Flux	0,100	236,34
775-601	SAAR601	Bubble Tube, Left 6"	1	65,52
776-017	SAAR6017	O-Ring, Ballast plate, Truspec	1	12,06
625-602-187	SAAR602	Ceramic lance tube , 4 hole 291	1	65,52
618-603	SAAR603	Catalyst Tube, 13.0" / 33 cm	1	446,04
766-036	SAAR6036	Pneumatic (Air) , Regulator Assembly	1	629,64
604-112	SAAR604	Quartz Catalyst Tube	1	525,78



Leco Part. No.	Säntis Part. No.	Description	pcs / kg	Tarif € HT
605-520-087	SAAR6055	O-Ring, package, CS200/300/400	1	49,5
771-606 / 776-931	SAAR606	Pedestal , CS-46 & EC-12	1	169,56
616-063	SAAR6063	Boat Puller, Sulfur/Carbon	1	196,38
616-068	SAAR6068	O-Ring, Inner combustion tube S/SC144	1	31,86
607-073	SAAR607	O-Ring	1	2,52
616-070	SAAR6070	Inner combustion tube	1	158,4
769-608	SAAR608	Halogen Trap Material	0,200	146,34
616-086	SAAR6086	Stepped Boat Stop, S/SC-144	1	113,94
616-089	SAAR6089	Outer combustion tube	1	262,8
780-044	SAAR609	Assembly Sample Puller	1	189,9
769-610	SAAR610	Halogen Trap Material	0,225	79,92
761-747-HAZ	SAAR611	Schutze's Reagent	0,100	228,6
501-697	SAAR612	Platinized Charcoal	0,050	125,64
598-614	SAAR613	Bulbs - Switches , 6.3V (750-100)	1	19,44
616-138	SAAR6138	O-Ring, FP-528	1	2,88
616-139	SAAR6139	O-Ring, FP-528	1	1,98
762-059	SAAR614	O-Ring, Cup assembly	1	21,06
616-146	SAAR6146	Lance , FP528	1	60,3
501-609	SAAR615	Furnace Reagent	0,100	53,1
618-657	SAAR6186	FTG Adapter, RC612	1	32,76
619-895	SAAR619	Graphite Crucible, RHN600	1000	1582,02
619-895-100	SAAR619100	Graphite Crucible, RHN600	100	209,7
619-895 / 619-896	SAAR6198	Electrode Insert , for 619-895 Crucible	1	189
606-224	SAAR6224	Thermocouple, SC432 Series	1	406,8
776-234	SAAR6234	10 Micron Filter, 1gpm	1	93,6
776-247	SAAR6247	Graphite crucibles	1000	792,9
775-625	SAAR625	Momentary Push Switch	1	42,12
625-401-351	SAAR6254	Lance tube SC663 w/autoloader	1	50,22
625-501	SAAR6255	Thermocouple, RC612	1	251,64
776-265	SAAR6265	Adjustable Pedestal Assembly, 923/4060/6922	1	162
	SAAR630	0.1g H/O/N in zirconium standard (approx. H=0.0010%, O=0.1460%, N=0.0020%) , see certificate for actual values	100	172,8
163-012	SAAR63012	Tubing Insert	1	6,3
603-047	SAAR63047	Ureth Tubing ,.061 x .12 OD, Red, Per Foot	1	1,8
603-048	SAAR63048	Ureth Tubing ,.061 x .12 OD, Blue, Per Foot	1	1,8
603-049	SAAR63049	Ureth Tubing ,.061 x .12 OD, Green, Per Foot	1	1,8
603-050	SAAR63050	Ureth Tubing ,.061 x .12 OD, Black, Per Foot	1	1,8
603-051	SAAR63051	Ureth Tubing ,.061 x .12 OD, White, Per Foot	1	1,8
603-052	SAAR63052	Ureth Tubing ,.061 x .12 OD, Orange, Per Foot	1	1,8
606-308	SAAR6308	Stepped Ceramic Boat Stop, SC432	1	135,9
606-316	SAAR6316	ADAPTOR ASSEMBLY, SC-432	1	167,76
606-317 / 789-114	SAAR6317	Stainless Purge Tube , for SC432	1	52,56
606-318	SAAR6318	Heating Elements (3), SC432	3	605,88
606-319	SAAR6319	Lead Wire Braided 6.5, SC-432	1	23,76
606-320	SAAR6320	Braid Clamp , for SC432 Element	1	19,44
606-327	SAAR6327	Gas Drying Tube , SC432	1	135
606-333	SAAR6333	O-Ring, Lance, SC432	1	5,22
501-280	SAAR634	O-Ring	1	2,52
606-340	SAAR6340	Drilled Lance Tube, FP2000	1	59,76
	SAAR635	0.1g Hon in titanium pin standard, (approx. 0.0045% H, 0.144% O, 0.0155% N), see certificate for actual values	100	349,2
774-638	SAAR638	Disco Tube, 6" Straight, RO116	1	111,6
761-739	SAAR639	Tin Flux, 0.5 g pellets	0,454	153
772-403	SAAR6403	Drilled Lance Tube, SC432	1	52,2
501-641	SAAR643	Copper Metal , Scrubber Material	0,454	40,14
501-644	SAAR644	1g O/N in steel pin standard, (approx. 0.0003% O, 0.0140% N), see certificate for actual values	100,000	177,3
	SAAR645	1g O/N in steel pin standard, (approx. 0.0050% O, 0.0058% N), see certificate for actual values	100	144,9
	SAAR646	1g O/N in steel pin standard, (approx. 0.0029% O, 0.073% N), see certificate for actual values	100	146,7
	SAAR647	0.1g H/O/N in titanium pin standard, (approx. 0.0077% H, 0.215% O, 0.0063% N), see certificate for actual values	100	468,36
	SAAR649	0.1g H/O/N in titanium pin standard, (approx. 0.0192% H, 0.104% O, 0.0064% N), see certificate for actual values	100	536,4
762-741	SAAR650	0.1g H/O/N in Titanium CRM, (approx. 0.0063% H, 0.104% O, 0.0082% N), See certificate for actual values	100	306
616-504	SAAR6504	Particle Filter, FP528	1	133,38
502-024	SAAR651	0.1g H/O/N in Titanium CRM, (approx. 0.0029% H, 0.128% O, 0.0053% N), see certificate for actual values	100	217,8
774-652 / 625-711-182	SAAR652	Brush , for TC-136	1	32,4
774-649	SAAR653	Cleaning Brush , with Handle	1	126,9
	SAAR654	0.5g O/N in steel pin standard, (approx. 44PPM O, 536PPM N), see certificate for actual values	100	106,92
606-547	SAAR6547	Boat Puller, SC432 Autoloader	1	911,34
502-016 / 502-072	SAAR655	0.5g O/N in steel pin standard, (approx. 0.0022% O, 0.395% N), see certificate for actual values	100	121,5
606-550	SAAR6550	Finger Arm , for AR6547	1	13,32
766-557	SAAR6557	O-Ring	1	1,98

Leco Part. No.	Säntis Part. No.	Description	pcs / kg	Tarif € HT
501-552	SAAR656	0.5g O/N in steel pin standard, (approx. 0.0053% O, 0.0210% N), see certificate for actual values	100	121,5
	SAAR657	0.5g O/N in steel pin standard, (approx. 0.0109% O, 0.0102% N), see certificate for actual values	100	121,5
501-551	SAAR660	0.5g O/N in steel pin standard, (approx. 0.0048% O, 0.0060% N), see certificate for actual values	100	121,5
606-601	SAAR6601	Heat Elements (4) , CS432, CS144	4	1098
606-601-100	SAAR6601100	Heating Element Kit	1	1054,44
606-602	SAAR6602	Furnace End Cap , FP2000	1	145,08
	SAAR661	0.5g O/N in steel pin standard , approx. 0.0007% O, 0.0164% N certificate for actual values	100	121,5
	SAAR662	0.5g O/N in steel pin standard, (approx. 0.0026% O, 0.069% N), see certificate for actual values	100	106,74
616-622	SAAR6622	Micro Switch, CN 2000, Switch Only, No Leads	1	64,08
	SAAR663	0.5g O/N in steel pin standard, (approx. 0.0032% O, 0.145% N), see certificate for actual values	100	125,1
616-632	SAAR6632	Lance, SC-432 & FP-2000, 253mm	1	66,78
606-444	SAAR6644	#2 Stepped Ceramic Boat Stop	1	126,18
766-646	SAAR6646	Air Filter Coating	0,283	21,42
606-655	SAAR6655	Purifier Tube, SC432	1	182,88
	SAAR668	0.5g O/N in steel pin standard, (approx. 0.0015% O, 0.0029% N), see certificate for actual values	100	99,72
776-685	SAAR6685	Tyna-Mite Solenoid	1	438,84
781-671	SAAR671	Ink Jet Printer Paper	1	63
578-672	SAAR672	O-Ring	1	5,4
501-673 / 502-231	SAAR673	Wrought iron chip standard, (approx. 0.0006% C, 0.0016% S), see certificate for actual values	0,454	126,9
778-674	SAAR674	Graphite Crucibles	1000	Sur demande
606-747	SAAR6747	2 Hole Lance Tube, FP2000, 245mm	1	43,92
	SAAR675	0.5g high O/N in steel pin standard, (approx. 0.058% O, 0.383% N), see certificate for actual values	100	244,8
	SAAR676	0.5g high O/N in steel pin standard, (approx. 0.0234% O, 0.118% N), see certificate for actual values	100	166,68
775-677	SAAR677	O-Ring	1	9,54
619-591-683	SAAR683	Combustion tube, for CS744 and CS844	1	56,7
601-684	SAAR684	O-Ring, Loading head assembly TC600	1	2,34
774-690	SAAR690	Knurled Ring Collar, EF100/EF500	1	79,38
611-351-189 / 618-482 / 620-814 / 774-691 / 611-351-182	SAAR691	Insert electrode TC/OHN analyzers	1	80,1
776-992	SAAR6922	Shield & Collar , for Pedestal	1	35,46
762-695	SAAR695	Tin Metal	11,330	1562,22
762-697	SAAR697	Large Throat Brush	1	11,34
762-823	SAAR697H	Brush with Handle	1	56,16
589-699	SAAR699	Lance Sleeve, CS44, IR12/32, AR521	1	10,08
619-591-683	SAAR70380	O-Ring, for SAAR683 Combustion Tube	1	20,88
603-706	SAAR706	Pedestal , for RH402	1	252,18
777-060 / 782-010	SAAR7060	Quartz Combustion Tube, SC32/132	1	973,08
777-066	SAAR7066	Quartz Liner , for AR7060	1	334,08
603-707	SAAR707	Reaction Tube , RH402	1	247,68
772-522 / 777-073	SAAR7073	Thermocouple Only	1	296,1
617-083	SAAR7083	O-Ring, In scrubber cat heater	1	2,16
507-100	SAAR7100	Catalyst Furnace, Rebuilt	1	385,56
617-136	SAAR7136	O-Ring, Loading head, Truspec	1	2,34
767-759	SAAR720	Coke standard, (approx. 1.21% S), see certificate for actual values	0,050	135
507-200	SAAR7200	Catalyst Furnace, Rebuilt	1	449,64
572-016	SAAR72016	Control Valve, for 572	1	625,86
782-720S	SAAR720S	Graphite High Temp Crucible	1000	1283,4
782-721	SAAR721	Hi-Temp Electrode Insert	1	164,7
501-438	SAAR734	Prox coal standard, (approx. 0.77% S), see certificate for actual values	0,050	275,4
610-735	SAAR735	Furnace Brush, CS444, Dia Slotted	1	27
772-738	SAAR738	O-Ring	1	3,06
190-739	SAAR739	Nylon Spacer Screw	1	2,52
617-441	SAAR7441	Micro Screen Filter, TCH600	1	5,58
765-746	SAAR746	Rotometer, WR12	1	347,76
767-518	SAAR7518	Retaining Wire Clip Spring	1	3,42
617-548	SAAR7548	Filter Tube, TC500, RC612	1	68,4
772-005	SAAR760	Chart Paper Roll, RH2/3	1	47,52
617-605	SAAR7605	Large Crucible , for Liquid Samples	10	320,4
769-761	SAAR761	Crucibles, RH-3	10	122,94
764-762	SAAR762	Glass Tube 11.88" , NP28	1	139,32
770-764	SAAR764	Printer Paper	1	9,36
760-139 / 766-053	SAAR766	Deluxe Crucible Tweezers, Curved	1	47,16
617-716	SAAR7716	Quartz Filter Tube, TC500	1	30,6
501-197 / 764-775	SAAR775	Trap Material, WR-12	0,025	153,18
770-778	SAAR778	Ribbon Spool Assembly	1	43,02
780-890	SAAR7808	Large Graphite Crucible	1000	Sur demande
778-120	SAAR781	Neoprene Gasket, Ballast, FP228	1	7,2
782-720	SAAR782	Graphite Crucible , TC436	1000	945
782-720/782-720-S	SAAR7827	Graphite Crucible, High Temp, H=0.96" x OD=0.500"	1000	718,2
782-720/782-720-S	SAAR7827P	Graphite Crucible, High Temp, H=0.96" x OD=0.500"	200	185,4

Leco Part. No.	Säntis Part. No.	Description	pcs / kg	Tarif € HT
773-316 / 789-115	SAAR789	Lance Tube Assembly, CS125, CS 225, w/o Autocleaner 4.28"	1	37,8
611-790	SAAR790	O-Ring	1	3,6
772-795	SAAR795	Oven Fan, CS244 & TC136	1	176,58
501-101	SAAR800	Arrowroot Starch Solution, 500 ml	1	35,82
533-104	SAAR801	Starch Dispensing Pipette	1	97,74
602-802	SAAR802	O-Ring, RH 402, RC612	1	6,12
528-028	SAAR8028	Filtering crucibles, Small	100	118,8
528-028	SAAR8028F	Filtering Crucible	1000	891
602-803	SAAR803	O-Ring, RH402	1	9,9
528-030	SAAR8030	Filtering crucibles, Large	100	150,12
528-053	SAAR8053	Combustion Boat, 4" x 1/2"	500	1223,64
774-809	SAAR809	Induction Coil HF10, S/Oil	1	245,16
778-114	SAAR8114	O-Ring, 111	1	4,68
778-116	SAAR8116	O-Ring, 256, ballast, FP228	1	3,42
528-120	SAAR8120	Low Sulfur Crucible	150	113,4
619-605-816,	SAAR816	Ceramic Pedestal, CS144-444 SiN	1	134,1
605-817	SAAR817	Pedestal Adapter, CS125	1	39,6
605-818	SAAR818	Pedestal Adapter 606/816, EC12, HF10/20	1	36,72
528-203	SAAR8203	Combustion Boat, SC132,32,CR12	500	453,42
528-203-250	SAAR8203250	Combustion Boat, for SC132/32/CR-12	250	243
529-203	SAAR8203P	Combustion Boat, SC32/132/CR12	50	67,5
766-823	SAAR823	Male Cliplock Fitting	1	70,02
605-828	SAAR828	O-Ring, FP428, SN 1 thru 3445	1	4,14
605-830	SAAR830	O-Ring, CHN	1	4,14
508-300	SAAR8300	Catalyst Heater, Rebuilt	1	770,4
780-831	SAAR831	O-Ring, CHN 1000, lance	1	6,66
528-313	SAAR8313	Combustion Tube 1, 1/8" x 30" OBE	1	241,2
528-314	SAAR8314	Combustion Tube 1, 1/4" x 30" OBE	1	287,28
528-331	SAAR8331	Combustion Tube 1, 1/8" x 27" TE	1	267,84
528-332	SAAR8332	Combustion Tube 1, 1/8 x 30" TE	1	352,62
528-333	SAAR8333	Combustion Tube 1, 1/4" x 30" TE	1	323,82
608-339	SAAR8339	Combustion tube, Old Syle, CHN1000, 14mm OD x 200mm	1	46,08
608-343 / 783-193	SAAR8343	Furnace Element, CHN 1000	1	Sur demande
608-379	SAAR8379	Quartz Wool Strips, 15"	10	59,4
767-838	SAAR838	O-Ring	1	9,54
778-379	SAAR8380	Combustion Tube Insulator, FP528	1	9,9
508-400	SAAR8400	Catalyst Heater, Rebuilt	1	513,72
774-841	SAAR841	Thermistor Sensor, Lower Drain	1	400,32
508-500	SAAR8500	Catalyst Heater, Rebuilt	1	835,2
608-505	SAAR8505	Combustion Tube, Ceramic, CHN1000	1	302,94
780-853	SAAR853	Thermistor, Level	1	400,32
508-600	SAAR8600	Catalyst Heater, Rebuilt	1	835,2
619-590-861	SAAR861	O-Ring, CS744 CS844	1	9,9
608-866	SAAR866	Cflex Tubing, .187"/foot	1	12,78
	SAAR869	1g C/S ring standard, (approx. 0.019% C, 0.014% S), see certificate for actual values	0,454	89,82
501-502	SAAR871	1g C/S ring standard (approx. 0.035% C, 0.017% S), See certificate for actual values	0,454	85,5
501-503	SAAR872	1g C/S ring standard, (approx. 0.161% C, 0.022% S), see certificate for actual values	0,454	80,1
782-720SHD	SAAR872HD	Graphite Hi-Density, Hi-Temp Crucible	100	1258,2
501-504	SAAR873	1g C/S ring standard (approx. 0.425% C, 0.0088% S), See certificate for actual values	0,454	76,5
501-505	SAAR874	1g C/S ring standard, (approx. 0.658% C, 0.0109% S), see certificate for actual values	0,454	76,5
501-506	SAAR875	1g C/S ring standard, (approx. 0.801% C, 0.0132% S), see certificate for actual values	0,454	76,5
	SAAR876	1g C/S ring standard, (approx. 0.546% C, 0.0082% S), see certificate for actual values	0,454	89,82
782-877	SAAR877	Tim Step Brush, for 782-918	1	41,4
782-918	SAAR877H	Handle Only, for AR877	1	56,16
	SAAR878	1g C/S ring standard, (approx. 0.271% C, 0.0206% S), see certificate for actual values	0,454	89,82
768-798	SAAR8798	Clean Out Plug, for SC32/132/CR	1	9
775-880	SAAR880	Quick Disconnect Tube, 4"x, Straight, FP228	1	51,12
618-809	SAAR8809	Reagent Tube, TC600	1	76,5
501-674	SAAR881	1g C/S pin standard, (approx. 0.016% C, 0.0019% S), see certificate for actual values	0,454	102,6
501-675	SAAR882	1g C/S pin standard, (approx. 0.064% C, 0.0229% S), see certificate for actual values	0,454	102,6
	SAAR883	1g C/S pin standard, (approx. 0.190% C, 0.022% S), see certificate for actual values	0,454	102,6
501-678	SAAR884	1g C/S pin standard, (approx. 0.445% C, 0.0121% S), see certificate for actual values	0,454	102,6
501-679	SAAR885	1g C/S pin standard, (approx. 0.810% C, 0.0076% S), see certificate for actual values	0,454	102,6
	SAAR886	1g C/S pin standard, (approx. 0.738% C, 0.024% S), see certificate for actual values	0,454	119,52
589-887	SAAR887	O-Ring	1	4,14
	SAAR888	1g C/S pin standard, (approx. 0.078% C, 0.0214% S), see certificate for actual values	0,454	176,22
	SAAR889	1g C/S pin standard, (approx. 1.06% C, 0.0213% S), see certificate for actual values	0,454	119,52
501-676	SAAR890	1g C/S pin standard, (approx. 0.097% C, 0.0178), see certificate for actual values	0,454	102,6
	SAAR892	1g C/S pin standard, (approx. 0.0108% C, 0.0024% S), see certificate for actual values	0,454	100,8
	SAAR893	1g C/S pin standard, (approx. 1.55% C, 0.0131% S), see certificate for actual values	0,454	107,46
	SAAR894	1g C/S pin standard, (approx. 0.544% C, 0.0096% S), see certificate for actual values	0,454	119,52
501-677	SAAR895	1g C/S pin standard, (approx. 0.275% C, 0.022% S), see certificate for actual values	0,454	102,6
	SAAR896	1g C/S pin standard, (approx. 0.168% C, 0.087% S), see certificate for actual values	0,454	119,52
769-898	SAAR898	Lower Pedestal	1	39,06
780-899	SAAR899	Honeycomb Support, 1.25W x 1.5L FP	1	32,22
519-005	SAAR900	Ignitor	1	77,04
503-032	SAAR901	Scoop	1	19,8
529-011	SAAR9011	Ceramic Liner, SC32/132/CR-12	1	138,24
529-012	SAAR9012	Boat Stop Kit, (2 x AR9012)	2	81,9

Leco Part. No.	Säntis Part. No.	Description	pcs / kg	Tarif € HT
781-902	SAAR902	Ink Jet Cartridge	1	49,14
529-022 / 782-079-120	SAAR9022	Boat Stop Half, Honeycomb Fine	1	28,08
529-028 / 529-054 / 782-079-110	SAAR9023	Boat Stop Half , SC132/32	1	55,08
529-031	SAAR9031	Cone Support D	1	7,38
529-046	SAAR9046	Ceramic Tube , TF-10, 11/4" x 23" L	1	229,14
503-031	SAAR905	Funnel (3 Leg)	1	92,7
516-000	SAAR906	Purifying Train	1	1656,9
549-007	SAAR907	Armature	1	180
780-911	SAAR910	Catalyst heater tube	1	243
507-207	SAAR911	Catalyst Tube, Filled, Platinized Silica	1	71,28
782-079-115	SAAR9110	Ceramic Boat Stop, Medium Flow	1	73,44
609-114	SAAR9114	O-Ring, Side arm, SN3446 up	1	1,8
789-118	SAAR9118	Lance Tube Assembly, 5.12 LG, CS225	1	45,9
507-011	SAAR911E	Catalyst Tube , (Unfilled)	1	28,44
507-010	SAAR911H	Catalyst Tube , (Hopcolite)	1	71,28
507-207	SAAR911R	Catalyst Tube, Filled, Rare Earth	1	71,28
501-587	SAAR912	Platinized Silica	0,015	103,5
	SAAR912B	Platinized Silica	0,500	Sur demande
762-062	SAAR913	Oxygen Lance	1	9
767-500	SAAR914	Lance, IR33	1	17,1
619-154	SAAR9154	Catalyst heater tube	1	113,4
765-717	SAAR917	Oxygen Lance , (WR 12)	1	7,56
609-170	SAAR9170	Quick Cap Kit	1	208,8
609-171 / 611-255	SAAR9171	Plunger , for Cellulosic Tubes	1	97,74
609-172	SAAR9172	Tubing Cellulosic, .210ID	20	6,48
761-918	SAAR918	O-Ring	1	6,12
619-192	SAAR9192	O-Ring, Bottom lond head, for Truspec	1	9
601-920 / 619-591-755 / 619-592-926	SAAR920	O-Ring	1	13,5
529-204	SAAR9204P	Combustion Boat , S144	50	72
780-953	SAAR922	Pedestal , CS-125	1	146,34
604-114 / 776-923	SAAR923	Quartz Pedestal Post , CS144-444	1	133,74
619-233 / 660-010-130	SAAR9233	Thermocouple, for Truspec Type K	1	224,1
780-928	SAAR926	Printer Ribbon	1	13,32
619-268	SAAR9268	High sensitivity reagent tube	1	126,9
780-927	SAAR927	Printer Paper Roll	1	11,34
609-271	SAAR9271	Radial Shaft Seal, FP2000 Autoloader	1	55,8
777-064 / 782-004	SAAR928	Pyrex Delivery Tube, for AR7060	1	178,56
761-929	SAAR929	Crucible tongs	1	45
589-305	SAAR9305	1/4" Rubber Sleeve	1	11,16
619-316	SAAR9316	Large Volume Reagent Tube, for Truspec	1	155,34
521-305	SAAR932	Drying Tube	1	28,44
750-301	SAAR933	Drying Tube, 9.0" / 22.8 cm	1	42,3
762-936	SAAR936	Oven fan, WR12, TC30, dayton	1	36,72
589-364	SAAR9364	Oven Fan, WR12, TC30, Dayton	1	236,34
782-938	SAAR938	Composite Brush , for 782-942	1	41,4
782-942	SAAR938H	Handle Only, for AR938	1	66,78
789-412	SAAR9412	Catalyst Tube, TC500, RC612	1	104,4
619-425	SAAR9425	Straight Reagent Tube, for Truspec	1	111,06
768-944	SAAR944	O-Ring	1	8,46
619-455	SAAR9455	Large Reagent Tube	1	83,16
	SAAR946	C/S/N chip standard, (approx. 0.0026% C, 0.0046% S, 0.0015% N), see certificate for actual values	0,150	98,82
	SAAR947	C/S/N chip standard, (approx. 0.389% C, 0.094% S, 121PPM N), see certificate for actual values	0,150	98,82
609-474	SAAR9474	Finger Arm , for AR1207 Shaft	1	12,96
	SAAR948	C/S/N chip standard, (approx. 0.506% C, 0.078% S, 0.0090% N), see certificate for actual values	0,150	98,82
	SAAR949	C/S/N chip standard, (approx. 0.0137% C, 0.027% S, 860PPM N), see certificate for actual values	0,150	98,82
	SAAR950	C/S/N chip standard, (approx. 0.055% C, 0.0103% S, 0.0058% N), see certificate for actual values	0,150	98,82
	SAAR951	C/S/N chip standard, (approx. 0.147% C, 0.027% S, 0.0116% N), see certificate for actual values	0,150	98,82
	SAAR952	C/S/N chip standard, (approx. 0.470% C, 0.021% S, 104PPM N), see certificate for actual values	0,150	98,82
769-520	SAAR9520	Graphite Crucibles, RH-2	10	55,8
769-520	SAAR9520M	Graphite crucible, RH-2	1000	Sur demande
	SAAR953	C/S/N chip standard, (approx. 0.929% C, 0.006% S, 53PPM N), see certificate for actual values	0,150	98,82
	SAAR954	C/S/N chip standard, (approx. 0.401% C, 0.0209% S, 0.0067% N), see certificate for actual values	0,150	98,82
	SAAR955	C/S/N chip standard, (approx. 0.204% C, 0.0284% S, 91PPM N), see certificate for actual values	0,150	98,82
	SAAR956	C/S/N chip standard, (approx. 0.474% C, 0.288% S, 0.0072% N), see certificate for actual values	0,150	97,56
619-566	SAAR9566	Braided Strap	1	13,86

Leco Part. No.	Säntis Part. No.	Description	pcs / kg	Tarif € HT
	SAAR957	C/S/N chip standard, (approx. 0.179% C, 0.104% S, 0.0101% N), see certificate for actual values	0,150	98,82
	SAAR960	C/S/N chip standard, (approx. 0.121% C, 0.0221% S, 0.036% N), see certificate for actual values	0,150	98,82
	SAAR961	C/S/N powdered metal standard, (approx. 0.022% C, 0.0093% S, 0.041% N), see certificate for actual values	0,150	98,82
772-508 / 776-962 / 783-177	SAAR962	Heating Element, for SC32/132/CR12	1	617,76
602-969	SAAR969	5000 Determinatons Package, for FP428	1	Sur demande
609-728	SAAR9728	Shaft Sleeve Bearing, FP2000 Autoloader	1	108,9
619-774	SAAR9774	Lance, Truspec, CHNS Micro	1	84,6
619-776	SAAR9776	Reagent Tube 233mm	1	198
619-777	SAAR9777	Directive Middle Tube, CHNS	1	117,9
776-978	SAAR978	Glass Scoop, MAC 400	1	47,88
768-980	SAAR980	Particle Filter, SC32/132/RC612	1	33,3
601-981	SAAR981	Side arm cleaning brush, for Leco	1	13,68
528-043 / 619-880 / 768-774	SAAR9880	10mm Hole Cover	1000	318,06
589-891	SAAR9891	Timer Relay, 750/589	1	559,26
771-991	SAAR991	O-Ring, O28	1	7,92
773-931	SAAR9931	Teflon Disconnect Block, SC132	1	95,58

Pour un visuel des articles chercher la référence ici :

<https://www.saentis-analytical.com/products.php?r= CHNOSTOC>

Si le produit dont vous avez besoin n'est pas répertorié ici, contactez-nous !

L'utilisation des numéros de pièce Leco (TM) est uniquement destinée à des fins de commodité et n'implique pas que les produits sont d'origine Leco (TM).

Tous les produits Säntis Analytical sont garantis de haute qualité et adaptés à une utilisation dans l'instrument indiqué.

**Condition de livraison en France métropolitaine :**

Franco de port pour toutes livraisons > 1000 € HT

35 € de frais de port et d'emballage pour toutes livraisons comprises entre 500 et 1000 € HT

50 € de frais de port et d'emballage pour toutes livraisons < 500 € HT



**Courtage  
Analyses  
Services**

14, Rue des Mouettes  
F 76130 MONT SAINT AIGNAN  
Tel : +33 2 35 07 6000  
[sales@onlinecas.com](mailto:sales@onlinecas.com)